

PATIENT REFERRAL FORM

*Referring provider is responsible for ongoing prenatal care. PAS Clinic is consulting only for Accreta and required management.

Referring Provider:		Patient Information:	
Referral Date:			
	DD/MM/YYYY		nt Name:
Provider Name:		Patient Address:	
Provider MSP/Billing #:		Patie	nt Phone #:
Provider Phone #:			nt Health #:
Provider Fax #:			
Primary Care Provider:		Intern	reter Required?
·		intorp	IF YES, SPECIFY LANGUAGE
→ REFERAL INDICATED IF	≥1 HIGH RISK FACTOR OR ≥2 LOW	/ RISK FACT	Or IVF transfer
High Risk Factors (X for the	hose that apply)	Low Risk Factors (X for those that apply)	
Placenta in the region of a prior uterine incision:			Placenta previa
Prior lower segment c/s and placenta previa			Prior retained placenta with manual removal
Prior classical or inverted T incision and anterior placenta			Prior uterine artery embolization
Prior myomectomy reaching endometrium AND placenta implanted in area of prior scar			≥3 intrauterine procedures (D&C, D&E, or operative hysteroscopy)
Risk factors for abnormal imp incision:	lantation without prior full thickness		
Prior endometrial at	olation		
History of Ashermar	n syndrome		
Prior hysteroscopic	resection of synechiae or		

Abnormal US findings in the current pregnancy:

- Features of C/S scar pregnancy in T1
 - Features of PAS on routine US

History of PAS in prior pregnancy?



Pertinent Medical & Surgical History

Additional Comments



Dasclinic PATIENT REFERRAL INSTRUCTIONS

Please ensure the following are included:

Dating ultrasound		
Completed patient referral form		
Antenatal record		
Prenatal bloodwork including:		
СВС		

Ferritin

Prenatal infectious serologies

Prenatal genetic screening

Gestational diabetes testing

Blood group and Rh

Chlamydia and gonorrhea results

- Most recent PAP results
- Any relevant delivery records/OR reports; previous CS, myomectomy
- Any imaging reports from the current pregnancy

Fax entire package to:

(604) 520 4183